EL PASO HEALTH

ROUTINE PREVENTIVE SERVICES FOR CHILDREN AND ADOLESCENTS (12 YEARS- 20 YEARS) The following guideline provides recommendations for routine preventive services for children 12 years to 20 years. Children at increased risk may warrant additional services. Recommendation 12 years 13 years 14 years 15 years 16 years 17 years 18 years 19 vears **History**: Documentation must contain an initial health history and each subsequent checkup must contain information on an interim history. Х Х Х Х Х Х Mental Health Screening: Mental health screening is required at each checkup and includes behavioral, social, and emotional development. Х Х Х Х Х Х Х Х Х Mental health screening using one of the following validated, standardized mental health screening tool is required once between the ages of 12 and 18 years of age: • Patient Health Questionnaire-9 (PHQ-9) Mandatory screening with PHQ9, PSC-17, PSC-35, Y-PSC, or CRAFFT once Pediatric Symptom Checklist (PSC-17 and PSC-35) during 12-18 years Pediatric Symptom Checklist Youth Report (Y-PSC) •Car, Relax, Alone, Forget, Family, and Trouble Questionnaire (CRAFFT) http://brightfutures.aap.org/tool and resource kit.html. Tuberculosis Screening: TB Questionnaire must be administered annually beginning at 12 months of age. A Tuberculin Skin Test is to be administered when the screening tool indicates a risk for possible exposure Х Х Х Х Х Х Х Х Х Nutrition Screening: Dietary practices should be assessed to identify unusual eating habits such as pica, extended use of baby bottle feedings, or eating disorders in older children and adolescents. For nutritional problems, further assessment is indicated. Х Х Х Х Х Х х Х Х Age Appropriate Screening & Administration of Immunizations: Providers must assess the immunization status of clients at every medical checkup and vaccines must be administered according to the current Advisory

Committee on Immunization Practices (ACIP). "Recommended Childhood and Adolescent Immunization Schedule. Х Х Х Х Χ Х Х Х Х **Laboratory Tests:** Risk Based Tests: Screenings performed based on risk assessments include screenings for type 2 diabetes (dia), hyperlipidemia (dys), gonorrhea, chlamydia, syphilis (std) and HIV (hiv). Document screening or dia, dys, reason why member was not screened. std. hiv Mandatory Screenings hiv (Once at 16 - 18 years) dys (Once at 18 - 20 years)

EL PASO HEALTH

ROUTINE PREVENTIVE SERVICES FOR CHILDREN AND ADOLESCENTS (12 YEARS- 20 YEARS)

The following guideline provides recommendations for routine preventive services for children 12 years to 20 years. Children at increased risk may warrant additional services.

Recommendation	12 years	13 years	14 years	15 years	16 years	17years	18 years	19 years	20 years
Complete Unclothed Physical Examination	х	х	х	х	х	х	х	х	х
Length/Height: Requires documentation of measurements and percentiles									
as appropriate	Х	х	х	х	Х	Х	Х	Х	Х
Weight: Requires documentation of measurements and percentiles as									
appropriate	Х	Х	Х	Х	х	х	х	х	Х
BMI : Requires documentation of measurements and percentiles as									
appropriate	х	х	х	х	х	х	х	х	х
Blood Pressure	х	х	х	х	х	х	х	х	х

Texas Health Steps recommends that health care providers:

- •Use the World Health Organization (WHO) growth charts http://www.cdc.gov/growthcharts/who_charts.htm for infants and children birth to 2 years of age.
- •Use the Centers for Disease Control and Prevention (CDC) growth charts http://www.cdc.gov/growthcharts/cdc_charts.htm for children who are 2 years of age or older.

Vision: Visual Acuity results	х			х			х		
Subjective vision		х	х		х	х		х	х
Hearing Audiometric Screening results				х					
Subjective hearing	х	х	х		х	х	х	х	х
Age Appropriate Anticipatory Guidance & Health Education: Health education is designed to help parents and caregivers understand what to expect in terms of the child's development and to provide information for all ages about the benefits of healthy lifestyles and practices, as well as accident and disease prevention. Diet and Exercise are topics that are strongly encouraged.									
http://www.dshs.state.tx.us/thsteps/Anticipatory-Guidance.shtm Dental: Limited oral screening for caries and general health of the teeth and oral mucosa is part of the physical examination. In addition to the federal requirements, Texas Health Steps policy requires referral to a dentist at six months of age and every six months thereafter until the dental home has been established.	x	X	x	x	x	x	x	x	x x
Follow up Instructions to Return for Next Preventive Visit:	х	х	х	х	х	х	х	х	х

This guideline is based on the Texas Health StepsPeriodicity Schedule and the Texas Health Steps Checkup Components. http://www.dshs.state.tx.us/thsteps/providers.shtm Individual patient considerations and advances in medical science may supercede or modify these recommendations. Revised October 26, 2017