EL PASO HEALTH

ROUTINE PREVENTIVE SERVICES FOR INFANTS AND CHILDREN (5 days - 24 MONTHS) The following guideline provides recommendations for routine preventive services for children birth to 24 months. Children at increased risk may warrant additional services.												
							12 mo					
Recommendation	birth	5 days	zweeks	2 1110	4 mo	6 1110	9 1110	12 1110	12 1110	19 1110	24 1110	
History: Documentation must contain an initial health history and each												
subsequent checkup must contain information on an interim history.	x	х	x	x	x	x	x	x	x	x	x	
sassequent sheetap mast contain mile matter at mile mile mile mile mile mile mile mile					<u> </u>	<u> </u>				<u> </u>		
Mental Health Screening: Mental health screening is required at each												
checkup and includes behavioral, social, and emotional development.												
http://brightfutures.aap.org/tool_and_resource_kit.html.	х	х	х	х	х	х	х	х	х	х	х	
Postpartum Depression Screening for mothers (not dependent on her												
eligibility or coverage) using a validated tool:	Recommended once during infant's THSteps medical checkup, up to the infants											
• Edinburgh Postnatal Depression Scale (EPDS)								s				
Postpartum Depression Screening Scale (PPDS)				first birthd	ay							
Patient Health Questionnaire 9 (PHQ-9)												
http://www.dshs.texas.gov/thsteps/forms.shtm												
Tuberculosis Screening: TB Questionnaire must be administered annually												
beginning at 12 months of age. A Tuberculin Skin Test is to be												
administered when the screening tool indicates a risk for possible												
exposure								х			х	
Developmental Surveillance/Screening:												
- Providers must use one of the following validated, standardized tools												
when performing developmental screening:												
 Ages and Stages Questionnaire (ASQ) 												
 Ages and Stages Questionnaire: Social Emotional (ASQ:SE) 												
Parents' Evaluation of Developmental Status (PEDS)												
http://agesandstages.com/							х			х	х	
- Developmental surveillance is required at all other checkups and												
includes a review of milestones and mental health, including: gross and												
fine motor skills, communication skills, speech-language development, self												
help/care skills and social, emotional, and cognitive development.												
	х	х	х	х	х	х		х	х			
Autism Screening: Providers must use Modified Checklist for Autism in												
Toddlers (M-CHAT or M-CHAT-R/F™)										х	х	
Nutrition Screening :Dietary practices should be assessed to identify												
unusual eating habits such as pica, extended use of baby bottle feedings,												
or eating disorders in older children and adolescents. For nutritional												
problems, further assessment is indicated.	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	
Age Appropriate Screening & Administration of Immunizations:												
Providers must assess the immunization status of clients at every medical												
checkup and vaccines must be administered according to the current												
Advisory Committee on Immunization Practices (ACIP). "Recommended												
Childhood and Adolescent Immunization Schedule. The ACIP schedule can												
be found at http://www.cdc.gov/vaccines/schedules/index.html.	Х	Х	Х	Х	Х	X	Х	Х	Х	Х	Х	

EL PASO HEALTH

ROUTINE PREVE	NTIVE SER\	/ICES FOR IN	NFANTS ANI	O CHILDREN	(5 days - 24	1 MONTHS)					
The following guideline provides recommendations for routine preventive s							ay warrant a	additional s	ervices.		
	birth	5 days	2weeks	2 mo	4 mo	6 mo	9 mo	12 mo	15 mo	18 mo	24 mo
Newborn Screening: Second screening required at the two-week checkup,											
but no earlier than seven days after delivery.			х								
Blood Lead Level: For an elevated blood lead level of 5mcg/dL or greater,											
the provider must perform a confirmatory test using a venous specimen.											
The confirmatory specimen may be sent to the Department of State											
Health Services (DSHS) Laboratory, or the client or specimen may be sent											
to a laboratory of the providers choice.								х			х
Anemia: Required screening by hemoglobin or hematocrit levels								х			
Risk Based Test: Screenings performed based on risk assessments include											
screenings for dyslipidemia (dys). Document screening or reason why											
member was not screened.											dys
Complete Unclothed Physical Examination	Х	Х	Х	Х	Х	Х	Х	х	Х	Х	Х
Length/Height: Requires documentation of measurements and											
percentiles as appropriate	х	х	х	х	х	х	х	х	х	х	х
Weight: Requires documentation of measurements and percentiles as											
appropriate	х	х	х	х	х	х	х	х	х	х	х
BMI: Requires documentation of measurements and percentiles as											
appropriate											х
Fronto-Occipital Circumference: Requires documentation of											
measurements and percentiles as appropriate	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Texas Health Steps recommends that health care providers:											
•Use the World Health Organization (WHO) growth charts http://www.cdc.	.gov/growt	hcharts/wh	o_charts.ht	m for infant	ts and childr	en birth to	2 years of a	ge.			
•Use the Centers for Disease Control and Prevention (CDC) growth charts h	ttp://www	.cdc.gov/gr	owthcharts	/cdc_charts	.htm for chi	ldren who a	are 2 years o	of age or old	ler.		
Subjective Vision	v	v	v	v	х	х	х	х	х	х	х
Subjective Hearing	Х	Х	Х	х	X	X	X	X	X	X	Х
1) TEHDI: A roadmap for families											
2) Hearing checklist for Parents (English/Spanish)	x	x	x	x	x	x	x	x	x	x	x
Newborn Hearing Screening	^	^	^	^	^	^	^	^	^	^	
Review Newborn hearing screening results from birthing facility											
2) Newborns who do not pass: refer to Medicaid enrolled audiologist		х									
Age Appropriate Anticipatory Guidance & Health Education: Health											
education is designed to help parents and caregivers understand what to											
expect in terms of the child's development and to provide information for											
all ages about the benefits of healthy lifestyles and practices, as well as											
accident and disease prevention.											
http://www.dshs.state.tx.us/thsteps/Anticipatory-Guidance.shtm	х	x	x	х	х	x	х	х	x	х	х
Dental: Limited oral screening for caries and general health of the teeth											
and oral mucosa is part of the physical examination. In addition to the											
federal requirements, Texas Health Steps policy requires referral to a											
dentist at six months of age and every six months thereafter until the											
dental home has been established.						х		x		x	x
Folow up Instructions to Return for Next Preventive Visit:	Х	х	х	Х	Х	х	Х	х	х	х	х
This guideline is based on the Texas Health StepsPeriodicity Schedule and the Texas Health StepsPeriodicity Schedule an	he Texas H	ealth Steps	Checkup Co	mponents.	http://www	v.dshs.texas	gov/thstep	s/providers	s.shtm	•	•

This guideline is based on the Texas Health StepsPeriodicity Schedule and the Texas Health Steps Checkup Components. http://www.dshs.texas.gov/thsteps/providers.shtm
Individual patient considerations and advances in medical science may supercede or modify these recommendations.

Revised July 19, 2019